Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	6	(projection same (crt (cathode adj ray adj tube)) same contrast same coupl\$4)	EPO; JPO; DERWENT	OR	OFF	2005/05/27 17:36
S1	5	baker-scott.in.	US-PGPUB; USPAT	OR	OFF	2005/05/27 16:25
S2	528	baker.in. and projection	US-PGPUB; USPAT	OR	OFF	2005/05/26 14:29
S3	2	baker.in. and (projection near coupl\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/23 11:49
S4	4	(projection near coupl\$4) and (dual near channel\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/23 12:01
S5	44	("20020008918" "20020024639" "20020054246" "20020076181" "20020080484" "20020140332" "20020171929" "20040160580" "3507505" "4151554" "4409515" "4433962" "4626734" "4645966" "4673841" "4688093" "4710820" "4734613" "4775817" "4781870" "4904054" "4964695" "5157554" "5250968" "5349472" "5537167" "5652680" "5537167" "6093998" "6104554" "6115082" "6130497" "6188165" "6268458" "6377319" "6407859" "6441976" "6456341" "6761360").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/23 11:57
S6	33	(projection near coupl\$4) same (crt (cathode adj ray adj tube))	US-PGPUB; USPAT	OR	OFF	2005/05/23 12:22
S7	20	((projection near coupl\$4)couplers) near (grooves ribs indentations)	US-PGPUB; USPAT	OR	OFF	2005/05/23 12:23
S8	2369	(optical same (coupler coupl\$4)) same (grooves ribs)	US-PGPUB; USPAT	OR	OFF	2005/05/23 12:31
S9	45	((optical same (coupler coupl\$4)) same (grooves ribs)) and (crt (cathode adj ray adj tube))	US-PGPUB; USPAT	OR	OFF	2005/05/23 12:32

S10	44	("20020008918" "20020024639"	US-PGPUB;	OR	OFF	2005/05/23 14:29
	• •	"20020054246" "20020076181"	USPAT;			
	•	"20020080484" "20020140332"	USOCR	•		
		"20020171929" "20040160580" - "3507505" "4151554"				
		"4409515" "4433962"				
		"4626734" "4645966"				
		"4673841" "4688093"				
		"4710820" "4734613" "4775817" "4781870"				
		"4904054" "4964695"				
		"5157554" "5250968"				
		"5349472" "5381189"				
		"5506629" "5537167" "5652680" "5892627"				
E: U		"6093998" "6104554"	-		•	
	,	"6115082" "6130497"				
		"6188165" "6268458" "6304378" "6369864"				
		"6377319" "6407859"				
		"6441976" "6456341"				
	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	"6761360").PN.	:::::::::::::::::::::::::::::::::::::::			
S11	1	"6696776"	US-PGPUB;	OR	OFF	2005/05/23 14:29
			USPAT			2005/05/22 45 02
S12	6	("2179575" "2778399" "6024586" "6130497").PN.	US-PGPUB; USPAT;	OR	OFF	2005/05/23 15:03
		002+300 0130+37).114.	USOCR			
S13	5	("4484100" "4717853"	US-PGPUB;	OR	OFF	2005/05/23 15:25
		"4737678" "4899080"	USPAT;			
		"5115163").PN.	USOCR			
S14	340	((projection optical) near (coupler	EPO; JPO;	OR	OFF	2005/05/23 16:02
		coupl\$4)) same (ribs grooves)	DERWENT			
S15	3	(((projection optical) near (coupler	EPO; JPO;	OR	OFF	2005/05/23 16:01
		coupi\$4)) same (ribs grooves)) and (crt (cathode adj ray adj	DEKWENI			
		tube))				
S16	11	(((projection optical) near (coupler	EPO; JPO;	OR	OFF	2005/05/23 16:05
		coupl\$4)) near (ribs grooves))	DERWENT			
S17	3298	((crt (cathode adj ray adj tube))	EPO; JPO;	OR	OFF	2005/05/23 16:06
		projector) same coupl\$	DERWENT			
S18	209	((crt (cathode adj ray adj tube))	EPO; JPO;	OR	OFF	2005/05/23 17:45
		projector) same coupler	DERWENT			
S19	3	((crt (cathode adj ray adj tube))	EPO; JPO;	OR	OFF	2005/05/23 16:08
		projector) same coupler same (ribs grooves)	DERWENT			
620	270		LIC DCDUB.	OD	OFF	2005/05/22 17:05
S20	378	((crt (cathode adj ray adj tube)) projector) same coupler	US-PGPUB; USPAT	OR	OFF	2005/05/23 17:05
S21	5	("4484100" "4717853"	US-PGPUB;	OR	OFF	2005/05/23 16:39
321		"4737678" "4899080"	USPAT;	UN	0.1	2003/03/23 10.33
		"5115163").PN.	USOCR			

S22	2	("4511927" "4904054").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/23 16:40
S23	10	("4621294" "4710820" "4737678" "4777532" "4904054" "4982289" "5157554" "5298984" "5381189" "5587838").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/23 16:45
S24	9	("5298984").URPN.	USPAT	OR	OFF	2005/05/23 16:48
S25	13	("5202706").URPN.	USPAT	OR	OFF	2005/05/23 16:54
S26	16	((crt (cathode adj ray adj tube)) projector) same coupler same (ribs grooves protru\$7)	US-PGPUB; USPAT	OR	OFF	2005/05/23 17:05
S27	5	("4405949" "4737678" "4777532" "4780640" "5644278").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/23 17:10
S28	3	("6093998").URPN.	USPAT	OR	OFF	2005/05/23 17:19
S29	840	313/35,36.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/23 17:20
S30	1	313/35,36.ccls. and (coupl\$4 near (ribs grooves protrusions))	US-PGPUB; USPAT	OR	OFF	2005/05/23 17:21
S31	61	okumura.in. and coupler	US-PGPUB; USPAT	OR	OFF	2005/05/23 17:21
S32	3	numata-kiyoshi.in.	US-PGPUB; USPAT	OR	OFF	2005/05/23 17:45
S33	5	("5250968").URPN.	USPAT	OR	OFF	2005/05/23 17:46
S34	. 12	("3891314" "4151554" "4306783" "4401368" "4609945" "4646143" "4651217" "4729031" "4810075" "4982289" "5045930" "5168351").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/23 17:56
S35	5	("5250968").URPN.	USPAT	OR	OFF	2005/05/23 17:58
S36	0	baker.in. and (projection near (cathode adj ray adj tube))	US-PGPUB; USPAT	OR	OFF	2005/05/26 14:30
S37	9	baker.in. and (projection same (crt (cathode adj ray adj tube)))	US-PGPUB; USPAT	OR	OFF	2005/05/26 14:31
S38	390	(projection same (crt (cathode adj ray adj tube)) same contrast)	US-PGPUB; USPAT	OR	OFF	2005/05/26 14:32
S39	31	(projection same (crt (cathode adj ray adj tube)) same contrast same coupl\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/27 17:36
S45	1	(projection near lens) same coupl\$3 same (aluminum near alloy)	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:06

109	frame near (aluminum adj3 alloy)	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:14
6	frame near (aluminum adj4 (aluminum adj3 alloy))	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:11
1221	((cast near aluminum) near (aluminum adj3 alloy))	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:11
5	((cast near aluminum) near (aluminum adj3 alloy)) and (coupl\$3 near frame)	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:13
2298	frame near ((aluminum adj3 alloy)aluminum)	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:14
2298	frame near (aluminum or (aluminum adj3 alloy))	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:15
307	(frame near (aluminum or (aluminum adj3 alloy))) and display	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:15
9	(frame near (aluminum and (aluminum adj3 alloy))) and display	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:16
5	("4405949" "4737678" "4777532" "4780640" "5644278").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 17:21
3	("6093998").URPN.	USPAT	OR	OFF	2005/05/26 17:38
20	("4511927").URPN.	USPAT	OR	OFF	2005/05/26 18:22
3	"5250968".pn. or "5537167".pn. or "5506629".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/26 18:25
5	("5250968").URPN.	USPAT	OR	OFF	2005/05/26 18:27
44	("20020008918" "20020024639" "20020054246" "20020076181" "20020080484" "20020140332" "20020171929" "20040160580" "3507505" "4151554" "4409515" "4433962" "4626734" "4645966" "4673841" "4688093" "4710820" "4734613" "4775817" "4781870" "4904054" "4964695" "5157554" "5250968" "5349472" "5381189" "5506629" "5537167" "5652680" "5892627" "6093998" "6104554" "6115082" "6130497" "6188165" "6268458" "6304378" "6369864" "6377319" "6407859" "6441976" "6456341"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 18:29
	1221 5 2298 2298 307 5 5	6 frame near (aluminum adj4 (aluminum adj3 alloy)) 1221 ((cast near aluminum) near (aluminum adj3 alloy)) 5 ((cast near aluminum) near (aluminum adj3 alloy)) and (coupl\$3 near frame) 2298 frame near ((aluminum adj3 alloy))aluminum adj3 alloy)aluminum) 2298 frame near (aluminum or (aluminum adj3 alloy)) 307 (frame near (aluminum or (aluminum adj3 alloy))) and display 9 (frame near (aluminum and (aluminum adj3 alloy))) and display 5 ("4405949" "4737678" "4777532" "4780640" "5644278").PN. 3 ("6093998").URPN. 20 ("4511927").URPN. 3 "5250968",pn. or "5537167",pn. or "5506629",pn. 5 ("5250968").URPN. 44 ("20020008918" "20020024639" "20020054246" "20020076181" "2002007555" "4151554" "4409515" "4433962" "46626734" "4688093" "4710820" "4734613" "4775817" "4781870" "4904054" "4688093" "5157554" "5509689" "5157554" "55349472" "5381189" "5506629" "5337167" "4904054" "4964695" "5157554" "5250968" "5349472" "5381189" "5506629" "5337167" "6181082" "6130497" "6130497" "6188165" "6628458" "6304378" "6369864" "6377319" "6407859"	USPAT USPAT USPGPUB;	Caluminum adj3 alloy)	USPAT USPA

S60	9	("3578841" "4418986" "4468092" "4469402" "4509822" "4561720" "4927233" "4941732" "5428476").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 18:35
S61	4	aluminum adj alloy near ("360")	US-PGPUB; USPAT	OR	OFF	2005/05/27 15:51
S62	132	(aluminum adj alloy) same ("360")	US-PGPUB; USPAT	OR	OFF	2005/05/27 15:43
S63	580	(aluminum adj alloy) near ((light adj weight) (conduct\$4))	US-PGPUB; USPAT	OR	OFF	2005/05/27 16:17
S64	72	((aluminum adj alloy) near ((light adj weight) (conduct\$4))) and display	US-PGPUB; USPAT	OR	OFF	2005/05/27 15:52
S65	99	((aluminum adj alloy) near ((light adj weight) (conduct\$4))) and (frame or coupler)	US-PGPUB; USPAT	OR	OFF	2005/05/27 15:56
S66	24	((aluminum adj alloy) near ((light adj weight) (conduct\$4))) same (frame or coupler)	US-PGPUB; USPAT	OR	OFF	2005/05/27 15:56
S67	4	"6024586"	US-PGPUB; USPAT	OR	OFF	2005/05/27 16:06
S68	3	(aluminum adj alloy) near ((light adj weight) (conduct\$4)) and "313"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/27 16:18
S69	6	(aluminum adj alloy) near ((light adj weight) (conduct\$4)) and "353"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/27 16:18
S70	1	"5250968".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/27 16:31
S71	1	"6696776".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/27 16:32
S72	6	("2179575" "2778399" "6024586" "6130497").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 16:32
S73	5	("4484100" "4717853" "4737678" "4899080" "5115163").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 16:43